

SUPPLEMENT TO



The Gazette of India

30

NEW DELHI, SATURDAY, JULY 23, 1949

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India and some of the Indian States during the week ending the 11th June 1949

	CHOLERA		SMALLPOX		PLAQUE			CHOLERA		SMALLPOX		PLAQUE	
	C	D	C	D	C	D		O	D	C	D	C	D
INDIA													
Madras													
Chennai	1	2	19	4	Bombay	.	.	1	...	15	10
Kanchipuram	1	...	5	1	Ahmedabad	1	1
East Godavari	0	5	18	4	Kaira	1	...
Izatnagar	30	3	Broach	2	2
Untur	6	2	63	10	Panoh Mahals	9	5	...
Ellora	14	9	42	10	Surat	1	...
Udaiapur	8	Thana	.	.	12	8	17	1
Urnool	22	10	17	5	Bombay Suburban
Ellary	29	8	Ahmednagar	.	.	8	6	26	5
Mantapur	60	15	East Khandesh	1	...
Adras	4	1	1	West Khandesh
Hinglajput	25	18	12	2	Nasik	.	.	20	10	7	...
Hilitor	3	3	10	Poona	24	4
Orth Aroot	34	19	11	3	Satara	11	1
Alemb	49	28	18	2	1	...	Sholapur	2	...
Simbatore	10	12	3	1	Belgaum	.	.	2
South Aroot	3	1	Bijapur	5	4
Anjore	7	2	Dharwar	.	.	3	2	14	2
Richinopoly	6	1	Kanara	3	3
Adura	3	1	Ratnagiri	22	4
Ammad	Kolaba	17	6
Innevelly	Dangs
Giria	1	Kolhapur	5	3
Alabar	5	2	Baroda	3	1
South Kanara	7	4	Total	.	.	46	26	181	51
Total	.	193	111	372	79	1	...			3	3	3	3
Estd. pop. 52,813 thousands)													
Total for w/e 4-6-49	204	105	314	54	3	2		Total for w/e 4-6-49	93	39	263	67	1
Total for w/e 28-5-49	375	197	301	59		Total for w/e 28-5-49	62	28	281	62	3
Early mean for the week	204	106	421	64	3	2		7-yearly mean for the week	202	91	217	36	4

Explanation of the symbols used :—C=Cases ; D=Deaths.

*Population is given as at the beginning of 1949.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India and some of the Indian States during the week ending the 11th June 1949—contd.

	CHOLERA				SMALLPOX				PLAQUE					CHOLERA				SMALLPOX				PLAQUE			
	O	D	O	D	O	D	O	D	O	D	O	D	O	D	O	D	O	D	O	D	O	D			
Bengal, West												United Provinces—contd.													
Burdwan	.	.	14	5	1	1	Besti	.	14	6	7	3							
Birbhum	.	.	1	Azamgarh	.	20	5					
Bankura	.	.	6	6	Namital	2					
Midnapore	.	.	7	6	Aknorah					
Hooghly	.	.	3	1	1	1	Garhwal	.	6	1	6	2					
Howrah	.	.	21	11	5	3	Lucknow	.	19	12	3	1					
24-Parganas	.	.	12	8	2	Umae	.	16	6					
Calcutta	.	.	59	8	9	4	17	1	Rae Bareli	.	20	11					
Nadia	.	.	5	2	1	1	Sitapur	.	3	1	3					
Murshidabad	1	Hardoi	.	13	6					
Malda	.	.	6	3	...	1	Kheri					
West DinaJPur	Fyzabad	.	4	2					
Jalpaiguri	Gonda	.	9	2					
Darjeeling	Bahralch	.	1					
Total			134	50	20	11	17	1	Sultampur	.	41	16					
									Partabgarh	.	79	37					
									Bara Banki	.	8	3					
*(Estd. pop. 21,581 thousands)									Total		524	238	105	26	7	3									
Total for w/e 4-6-49			168	73	42	23	26	3	(Estd. pop. 59,435 thousands)																
Total for w/e 28-5-49			201	66	51	25	47	6	Total for w/e 4-6-49		398	192	66	24	5	5									
7-yearly mean for the week			375	124	162	68	Total for w/e 28-5-49		461	233	130	34	6	8									
United Provinces												7-yearly mean for the week													
Dehra Dun	.	5	Hosstar	1				
Saharsapur	.	2	1	Rohtak	2				
Muzaffarnagar	Gurgaon	.	14	6				
Meerut	Karnal	3				
Bulandshahr	.	3	...	10	9	Ambala				
Aligarh	10	Simla				
Mathura	Kangra				
Agra	4	3	Hoshiarpur				
Mainpuri	4	Jullundur				
Etah	5	1	Ludhiana				
Bareilly	.	1	...	6	2	Ferozezeporo	2				
Bijnor	Amritsar				
Budaun	10	2	Gurdaspur				
Moradabad	2	1	Total	.	14	6	6	2				
Shahjahanpur																	
Pilibhit	2																	
Farrukhabad	.	12	7																	
Etawah	3																	
Kanpur	.	49	24	7	1																	
Fatehpur	.	2																	
Allahabad	.	19	4																	
Jhansi																	
Jalaun	.	12	10																	
Hamirpur	.	26	23	13	1																	
Banda	.	2	2																	
Benaras	.	13	6	1	1																	
Mirzapur	.	23	15																	
Jaunpur	.	88	32	2																	
Ghazipur	5	1																	
Ballia	.	4	1	1	1																	
Gorakhpur																	
Deoria	.	11	5																	

Explanation of symbols used :— O=Gases ; D=Deaths.

*Population is given as at the beginning of 1949.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts and towns in India and some of the Indian States during the week ending the 11th June 1949—contd.

	CHOLERA						SMALLPOX						PLAQUE						
	C	D	C	D	C	D	C	D	C	D	C	D	C	D	C	D			
	Bihar						Assam												

Patna	Cachar	.	.	14	7
Saya	.	1	1	4	2	Khasi & Jaintia Hills
Mahabubnagar	.	93	56	9	2	Naga Hills
Saran	26	13	Lushai Hills
Shambapuram	.	12	10	Goalpara	.	.	3	1
Azadpur	Kamrup	.	.	20	0
Barbhanga	Darrang	.	.	9	4
Monghyr	.	4	1	1	1	...	Nowrangpur	.	.	4	3
Khagpur	Sibsagar	.	.	9	7
Aharsa	Lakhimpur
Turnea	5	Sidiya & Frontier Tracts
Autal Parganas	.	3	1	Caro Hills
Sribagh	.	2	1	5	2	Total	.	59	31
Tanchi	.	5	4	2	Total for w/e 4-6-49	.	121	70
Manbhumi	.	4	2	1	1	Total for w/e 28-5-49	.	130	94
Alamau	.	7	1	2	7-yearly mean for the week	.	41	28	23	10
Inghbhumi	7-yearly mean for the week
Total	.	131	77	54	20	1	1	...	Total for w/e 28-5-49	.	121	70

*(Estd. pop. 38,146 thousands)

*(Estd. pop. 7,379 thousands)

Total for w/e 4-6-49	150	81	146	21	30	10	Total for w/e 4-6-49	121	70
Total for w/e 28-5-49	209	92	113	31	25	11	Total for w/e 28-5-49	130	94

7-yearly mean for the week

	Central Provinces						Orissa										
	C	D	C	D	C	D	C	D	C	D	C	D	C	D	C	D	

Jagpur	Cuttack	.	.	12	8
Wardha	Balasore	.	.	0	2
Chanda	6	2	Puri	2	1
Chhindwara	Samalpur	.	.	9	3	9	3
Setul	Kondmalsi
Handara	Ganjam Plains	.	.	14	6
Ubbulpore	.	12	6	36	9	Ganjam Agency
Saugor	.	11	3	22	7	Hirapur	3	1
Fandla	8	Keonjhor
Roshangabad	.	1	1	22	6	Dhenkanal	6
Jimar	Bolangir-Patna	.	.	1	1
Belaghat	Sundargarh	1
Raipur	.	8	6	1	Phulbani
Bilaspur	.	2	2	14	2	Angul
Drug	.	2	Mayurbhanj
Bastar	.	6	3	Total	.	45	20	21	5
Surguja	Total for w/e 4-6-49	.	208	84	21	1
Taigarh	Total for w/e 28-5-49	.	171	100	138	17
Amraoti	7-yearly mean for the week	.	113	68	135	25
Yeotmal	7-yearly mean for the week
Akola	15	2	Explanation of symbols used :—C=Cases ; D=Deaths,								
Buldana	16	2	* Population is given as at the beginning 1949.								
Total	.	42	21	140	20									

*(Estd. pop. 17,867 thousands)

*(Estd. pop. 7,426 thousands)

Total for w/e 4-6-49	106	48	63	5	Total for w/e 4-6-49	208	84	21	1
Total for w/e 28-5-49	145	92	141	39	...	1	Total for w/e 28-5-49	171	100	138	17

7-yearly mean for the week

	Central Provinces						Orissa										
	C	D	C	D	C	D	C	D	C	D	C	D	C	D	C	D	

Explanation of symbols used :—C=Cases ; D=Deaths,
* Population is given as at the beginning 1949.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India and some of the Indian States during the week ending the 11th June 1949—contd.

Explanation of symbols used :—C = Cases ; D = Deaths,

* Population is given as at the beginning of 1949.

113

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India and some of the Indian States during the week ending the 11th June 1949.—*contd.*

	CHOLERA				SMALLPOX				PLAQUE					CHOLERA				SMALLPOX				
	C	D	C	D	C	D	C	D	C	D	C	D	C	D	C	D	C	D	C	D	C	D
Hyderabad State												Mysore State										
Aurangabad	2	Bangalore	7	2	3	
Bhir	2	1	Chitaldrug	1	1	11	2	1	1	1	1	
Gulberga	1	Hassan	5	
Raichur	.	.	3	1	Kolar	8	1	
Omanabad	.	.	1	1	Mandy	.	.	2	
Warangal	23	4	Mysore	3	1	8	2	
Nizamabad	.	.	10	2	7	Shimoga	
Medak	5	2	Tumkur	16	2	
Nalgonda	.	.	3	..	1	Total	.	.	2	..	39	7	24	5	
Mahbubnagar	3	1	Travancore State													
Hyderabad	12	Total	
Secunderabad	1	Grand total for Unions & States													
Total	.	17	4	54	11	Grand total for India and Unions and States	.	.	76	33	227	86	24	5	1,263	613	1,171	330	53
Kashmir State												TYPHUS										
Jammu	1	1	9 cases of typhus were reported in Anantnag Distt. in Kashmir State during the week.													
Total	1	1	Explanation of the Symbols used:— C=Cases ; D=Deaths.													

NEW DELHI, 3 (INDIA); }
The 8th July, 1949. }

M. W. M. YEATTS,
Registrar General, India.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India and some of the Indian States during the week ending the 18th June, 1949

	CHOLERA				SMALLPOX				PLAQUE				
	C	D	C	D	C	D	C	D	C	D	C	D	
INDIA													
Madras													
Vizagapatam	5	Burdwan	8	3
Chingleput	17	3	Birbhum
East Godavari	5	3	4	Bankura	10	7	2	1
West Godavari	4	1	27	5	Midnapur	1
Kistna	34	6	Hooghly
Guntur	3	3	53	7	Howrah	11	6	4	3	1	..
Nellore	21	4	32	9	24-Parganas	7	5	4	1
Cuddapah	1	..	2	1	Jaunpur	57	10	13	7	27	3
Kurnool	21	7	18	5	Nadia	9	6
Bellary	7	..	14	6	Murshidabad	1	1	..	1
Anantapur	30	10	Malda	1
Madras	4	..	12	3	West Dinajpur
Chingleput	9	5	5	2	Jalpaiguri
Chittoor	3	2	10	3	Darjeeling
North Arcot	50	19	8	2	Total	106	38	23	13	28	3
Salem	30	17	..	1	* (Estd. pop. 21,581 thousands)						
Coimbatore	18	12	5	2	Total for w/e 11-6-49	134	50	20	11	17	1
South Arcot	1	1	21	6	Total for w/e 4-6-49	158	73	42	23	26	3
Tanjore	6	5	7-yearly mean for the week	207	96	147	60
Trichinopoly	7	3	United Provinces						..
Madura	Dehra Dun	3	..	2
Ramnad	Saharanpur	4	4
Tinnevelly	Muzaffarnagar
Nilgiris	Meerut
Malabar	2	Bulandshahr	26	17
South Kanara	5	Aligarh
Total	177	74	334	79	Mathura	1
* (Estd. pop. 52,813 thousands)							Agra	9	5
Total for w/e 11-6-49	193	111	372	79	1	..	Majhpuri	1
Total for w/e 4-6-49	204	105	314	54	3	2	Etah
7-yearly mean for the week	208	110	332	63	7	2	Bareilly
Bombay													
Bombay	8	9	Bijnor
Ahmedabad	Budaun	3
Kota	11	5	Moradabad	4
Broach	5	Shahjahanpur	3
Panck Mahals	Pilibhit	2	1
Surat	Farrukhabad
Thana	7	4	Etawah	22	10	5	3
Bombay Suburban	1	Kanpur	97	62	2	1
Ahmednagar	28	13	21	2	Fatehpur	3	3	9
East Khandesh	3	1	Allahabad	4	2	1
West Khandesh	7	4	7	Jhansi
Nasik	46	17	18	Jalaun	32	24
Poona	3	1	32	4	3	2	Hanipur	27	17
Satara	16	2	Banda	11	5
Sholapur	7	1	Bara	20	7	4	1
Belgapm	1	Mirzapur	18	13	5
Bijapur	18	3	Jaunpur	92	53
Dharwar	9	1	Ghazipur	8	5	4	1
Kanara	Ballia	5	2
Ratnagiri	26	6	Gorakhpur	7	3	2	..
Kolaba	14	5	Deoria	24	11	3
Dangs	Basti	18	11	1
Kolhapur	1	1	3	Azamgarh	10	1
Baroda	7	7	Nainital
Total	85	36	205	49	12	3	Almorah	3	1	1	1
* (Estd. pop. 22,752 thousands)							Garhwal	15	13
Total for w/e 11-6-49	46	26	181	51	3	3	Lucknow	16	7	6	2
Total for w/e 4-6-49	93	39	263	67	1	1	Explanation of the Symbols used :—C=Cases ; D=Deaths.						
7-yearly mean for the week	170	85	186	39	2	1	* Population is given as at the beginning of 1949.						

115

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India and some of the Indian States during the week ending the 18th June 1949.—*contd.*

CHOLERA				SMALLPOX				PLAQUE				CHOLERA				SMALLPOX				PLAQUE			
C	D	C	D	C	D	O	D	C	D	O	D	C	D	O	D	C	D	O	D	C	D	O	D

United Provinces—*contd.*

Una	.	21	12	Nagpur
Rae Bareli	.	10	6	Wardha
Sitapur	.	6	2	Chanda	.	.	38	8	3
Eardoi	Chhindwara
Kheri	Betul
Fyzabad	Bhandara	14	1
Gonda	.	8	3	Jubbulpore	.	.	2	1	11	3
Bahraich	.	2	1	Saugor	.	.	11	7	19	4
Sultampur	.	23	1	Mandla	12	2
Partapgarh	.	69	42	Hoshangabad	.	.	8	7	10
Bara Banki	.	33	18	Nimar
Total	.	605	333	92	38	2	..	Balaghat

* (Estd. pop. 50,435 thousands)

Total for w/e 11-6-49 524 238 105 26 7 3

Total for w/e 4-6-49 398 192 66 24 5 5

7-yearly mean for the week 1,079 571 262 56 ..

Central Provinces

Nagpur
Wardha
Chanda	38	8	3
Chhindwara
Betul
Bhandara
Jubbulpore	2	1	11	3
Saugor	11	7	19	4
Mandla
Hoshangabad	8	7	10
Nimar
Balaghat
Raipur	9	6	1	1
Bilaspur	12	12	2
Drug	16	6	1	1
Baster	6	3	1	1
Surguja
Raigarh
Amracti	1	..	5	3
Yeotmal
Akola	23	2
Buldana	3	1
Total	.	103	50	105	19	Total	.	103	50	105	19

* (Estd. pop. 17,867 thousands)

Punjab, East

Hissar	Total for w/e 11-6-49	.	42	21	140	30
Rohtak	.	35	10	Total for w/e 4-6-49	.	103	48	63	5
Gurgaon	7-yearly mean for the week	.	206	134	224	29
Karnal	Central	.	9	6
Ambala	.	1	1	Jhansi and Jaintia Hills	.	11	5
Simla	Naga Hills
Kangra	Lushai Hills
Moshiarpur	Golapara
Jullundur	Kamrup	.	5	3
Ludhiana	Darrang	.	2
Ferozepur	Newgong	.	26	17
Amritsar	Sibaesgar	.	13	7
Gurdaspur	Lakhimpur
Total	.	36	11	3	6	Saidiya & Frontier tracts
(Estd. pop. 14,194 thousands)	Garo Hills	.	1	2
Total for w/e 11-6-49	.	14	6	6	2	Total	.	67	40
Total for w/e 4-6-49	6	6	* (Estd. pop. 7,379 thousands)
7-yearly mean for the week	.	6	4	21	12	Total for w/e 11-6-49	.	59	31
Bihar	Total for w/e 4-6-49	.	121	79

Patna	7-yearly mean for the week	.	33	21	34	7
Gaya	Orissa
Shahabad	.	21	8	Cuttack	.	8	13	2
Saran	.	1	..	6	Balasore	.	1	1	2										

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India and some of the Indian States during the week ending the 18th June 1949—concl.

	CHOLERA			SMALLPOX			PLAQUE				CHOLERA			SMALLPOX			PLAQUE		
	C	D	O	C	D	O	C	D		C	D	O	D	C	D	O	D		
Ajmer-Merwara (Urban)																			
Total	3	Tripura State	...	2	2		
* (Estd. pop. 283 thousands)									Total	...	2	2		
Total for w/e 11-6-49	7	4			Total		
Total for w/e 4-6-49	7	2			Total		
7-yearly mean for the week	1	1													
Bhopal																			
Return not received.																			
Coorg																			
Figure Under Verification																			
Delhi																			
Delhi City	.	1	..	25	11	Aurangabad	..	2	1		
New Delhi	3	Bidar	..	1	2	2	2	..		
Delhi Notified Area	2	Osmanabad	..	1	1		
West Delhi N. A. C.	1	Warrangal	..	5	2	17	7		
Rural Circles	2	Adilabad	2		
Total	1	..	31	13	Medak	1	1		
* (Estd. pop. 1,205 thousands)									Nizamabad	1		
Total for w/e 11-6-49	33	13	Nalgonda	1		
Total for w/e 4-6-49	50	19	Mahbubnagar	3	1		
7-yearly mean for the week								..	Hyderabad	..	3	..	3	2		
Grand total for India	1,330	660	851	219	48	11		Total	..	12	6	30	11	2		
* (Estd. pop. 243,382 thousands)									Kashmir State										
Grand total for India for w/e 11-6-49	1,188	580	939	241	29	8		Total	
Grand total for India for w/e 4-6-49	1,447	701	978	222	65	21			Mysore State										
7-yearly mean for the week	5,060	2,747	1,560	365	16	7			Bangalore	21	7	1	
UNIONS AND STATES																			
Madhya Bharat																			
Dewas	3	3	Total	
Indore	10	1	Grand total for Unions and States	52	19	282	86	29	18	
Mandsaur	.	37	10	97	28	Grand total for India and Unions and States	1,382	670	1,133	305	77	29	
Nimar	9	7	Travancore State										
Ratlam	9	2	Total	..	1	1	36	11	27	18	
Shajapur	3											
Total	37	10	128	44		TYPHUS										
Rajasthan																			
Jaipur	70	17	The following cases of typhus were reported during the week										
Jodhpur	70	17	O	D									
Total	70	17	Punjab, East										
Saurashtra																			
Halar	1	1	Amritsar	..	1	
Madhya Saurashtra	7	2	Total	..	1	
Sorath	5	Kashmir State										
Zalawad	5	Anantnag	..	16	5	
Total	18	3	Total	..	16	5	
Explanation of the Symbols used ;—C—Cases; D—Deaths.																			

NEW DELHI 3, (INDIA), }
The 11th July, 1949. }

S. P. Jain
for Registrar General, India.

NATIONAL SAVINGS CERTIFICATES

Are now available in three different series, maturing after 5, 7 and 12 years. The certificates yield 3%, 3½% and 4-1/6% simple interest respectively, at maturity. The 12 years certificates increase your money by 50% but if necessary can be encashed after 18 months (Rs. 5/- certificates after 12 months). The 5 and 7 years certificates can be encashed at any time.

National Savings Certificates are obtainable in denominations of 5, 10, 50, 100, 500, 1,000 and 5,000 and you can invest upto Rs. 25,000 in them (inclusive of any Post Office cash certificates held).

Full particulars obtainable from all post offices, District Organisers of the Small-Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers or the National Savings Commissioner, Simla.

TODAY'S SAFEST AND MOST PROFITABLE INVESTMENT

Births and deaths from principal diseases in towns with a population of over 30,000 in the provinces of India and some of the Indian States for the week ending the 11th June 1949—contd.

Deaths from :—

Town

Mid-1949
Popn-Est.*
(000)

B. B.R. C. S. P. F. D.D. R.D. Total D.R.

A.—INDIA

Madras

Adoni	35	25	86.7	2	..	3	18	26.4	
Ambur	38	26	35.6	1	..	3	9	12.3	
Aruppukottai	36	26	37.6	5	1	..	13	18.8	
Bellary	63	30	24.6	1	2	7	25	20.5	
Cannanore	35	35	52.0	1	..	3	13	10.3	
Coimbatore †												
Cuddalore	62	61	51.2	3	..	1	19	16.0	
Dindigul	67	40	31.1	2	1	20	15.6	
Eluru	71	17	12.4	2	1	4	24	17.5	
Erode	44	35	41.1	1	1	3	19	22.3
Gudiyattam	39	27	35.7	1	6	2	20	20.5	
Guntur †												
Kalkinada †												
Kancheepuram	82	63	39.7	..	1	..	1	1	4	24	14.1	
Kozhikode	140	199	60.5	12	6	13	98	31.8	
Kumbakonam	71	32	23.5	3	6	35	25.7	
Kurnool	54	71	69.0	..	1	..	4	2	..	10	18.5	
Madras	908	940	49.0	1	42	56	186	555	28.9	
Mangalore	93	80	44.7	1	..	3	24	13.4	
Masulipatam	61	24	20.5	..	1	..	5	22	18.8	
Methural	287	249	45.1	1	7	17	51	166	30.1	
Mayuram	33	20	40.6	2	1	15	23.5	
Melapalayam	32	22	13.3	1	3	11	67	8.7	
Negapatnam	67	23	21.1	1	1	2	12	11.0	
Nellore	65	64	51.2	4	3	..	6	2	5	41	32.8	
Palamcottah	34	32	49.6	1	2	15	23.3	
Palghat	60	71	61.3	4	4	6	42	36.3	
Rajahmundry	84	48	29.8	2	..	9	35	21.7	
Rajapalayam	53	34	33.6	1	3	5	26	25.7	
Salem	153	126	42.9	1	2	9	57	19.4	
Srivilliputtur	37	31	44.1	1	2	1	13	17.1	
Tanjore	70	90	66.7	..	1	..	2	2	7	53	30.3	
Tellicherry	41	37	46.6	1	2	3	17	21.4	
Tenali	46	21	24.1	..	1	..	2	..	2	10	11.5	
Tiruohirappalli	174	131	39.3	2	7	12	48	14.4	
Tirunelveli	64	48	39.2	3	7	10	15.8	
Tiruppur †												
Tiruvannamalai	38	18	20.3	2	1	2	8	10.8	
Tuticorin	88	57	33.6	1	14	41	24.1	
Vellore	83	74	46.2	5	3	12	45	28.1	
Vijayavada	108	52	25.1	..	1	..	9	..	4	37	17.9	
Vinniyambadi	38	27	36.7	2	9	12.2	
Virudhunagar	30	47	68.3	2	2	15	21.8	
Vizagapatam	81	45	28.9	3	5	6	31	19.9	
Vizianagram	58	32	28.9	1	2	17	15.3	

TOTAL . . 3,818 3,133 42.7 6 9 .. 130 143 408 1,738 23.7

* In case of towns where there have been an abnormal movement of population it is likely that the population estimates may not be sufficiently reliable.

Explanation of symbols used :—B=Births; B.R.=Birth rate; C=Cholera, S=Smallpox; P=Plague; F=Fevers; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory diseases; D.R.=Death rate.

† Figures not available.

118
Births and deaths from principal diseases in towns with a population of over 30,000 in the Provinces of India and some of the Indian States for the week ending the 11th June 1949—*contd.*

Town	Mid-1949 Popn-Est.* (000)	Deaths from :—										
		B.	B.R.	C.	S.	P.	F.	D.D.	R.D.	Total	D.R.	
A.—INDIA—<i>contd.</i>												
Bombay												
Ahmedabad	826	440	27.7	..	1	..	121	5	32	246	15.5	
Ahmednagar	64	46	37.1	3	1	4	16	12.9	
Amalner	44	16	18.9	6	9	13.0	
Bandra	97	68	36.4	1	1	6	35	18.7	
Baroda City	184	131	37.2	..	2	..	28	1	7	61	17.3	
Barsi	41	16	20.4	7	2	1	16	20.4	
Belgaum	75	34	23.6	7	1	3	28	19.4	
Bhuseawal	43	12	14.4	5	1	..	9	10.8	
Bijapur	57	25	23.7	1	2	1	13	11.9	
Bombay	1,764	953	28.1	..	10	..	39	30	208	817	24.1	
Broach	74	38	26.8	3	..	8	22	15.5	
Dharwar	54	29	28.0	2	1	4	20	19.3	
Dhulia	65	20	20.9	6	..	3	13*	10.1	
Gadag	65	37	29.6	8	1	1	29	23.0	
Godhra	48	19	20.7	7	10	10.9	
Hubli†												
Jalgaoen	61	16	18.8	4	..	4	13	11.6	
Kalyan	36	26	38.0	2	1	2	7	10.2	
Kolhapur†												
Kurla	40	13	14.6	5	..	1	10	11.2	
Malegaon	40	32	41.2	9	..	5	17	21.9	
Nadiad	56	46	42.7	36	..	1	47	43.2	
Nasik	58	36	32.3	4	5	5	4	45	40.4	
Navsari city	45	25	29.4	7	13	15.1	
Pandharpur	37	12	17.1	5	2	7	22	31.3	
Parle Andheri	56	20	18.5	3	2	6	5.6	
Patan city	42	20	35.7	14	..	2	16	19.7	
Poona	307	167	28.3	25	7	32	124	21.0	
Satara	40	23	30.3	2	..	2	10	13.2	
Sholapur	260	152	31.9	9	9	34	89	17.8	
Surat	232	145	32.5	20	5	14	91	20.4	
TOTAL	4,817	2,632	28.4	4	13	..	387	78	388	1,854	20.0	
Bengal, West												
United Provinces												
<i>Return not received.</i>												
Agra	301	175	30.4	..	3	..	2	13	60	171	20.7	
Allahabad	307	84	14.3	4	1	29	58	9.9	
Amroha	65	33	26.4	6	3	3	24	19.2	
Bahrain	45	11	12.7	2	1	1	9	10.4	
Balrampur	49	17	29.3	7	..	2	11	19.0	
Banaras	301	171	29.6	1	1	..	102	9	18	224	38.8	
Bareilly	219	149	35.6	27	10	28	84	20.0	
Budana	58	21	19.6	8	4	8	23	20.8	
Dehra Dun	71	50	36.6	2	2	..	5	..	8	26	19.1	
Etawah	58	37	33.1	12	1	6	40	35.8	
Faizabad-Ajodhya	55	16	15.1	3	..	3	11	10.4	
Farrukhabad-Fatehgarh	62	24	20.1	11	1	4	22	18.5	
Ferozabad	54	17	16.3	..	6	..	13	..	1	25	24.3	
Ghazipur	35	7	10.6	6	..	2	10	15.1	
Gorakhpur	106	34	16.8	8	2	6	24	11.9	
Hapur	41	33	42.0	13	1	2	19	24.2	
Hardwar-Union	47	25	27.7	1	6	5	5	30	33.2	
Hathras	53	41	40.3	30	1	4	45	44.3	
Jaunpur	51	14	14.4	1	1	..	1	8	8.2	
Jhansi	85	49	30.2	30	1	1	34	20.9	
Kanpur	630	266	21.2	5	1	..	95	30	25	246	20.4	

Explanation of symbols used :—B= Births; B.R.= Birth rate; C=Cholera , S=Smallpox; P=Plague; F=Fevers ; D.D.= Dysentery and Diarrhoea E.D.=Respiratory Diseases ; D.R.=Death rate;

Figures not available.

M9

Births and deaths from principal diseases in towns with a population of over 30,000, in the provinces of India and some of the Indian States for the week ending the 11th June 1949.—contd.

Deaths from :-

Town	Mid-1949 Popn. Est.* (000)	Deaths from :-									
		B.	B.R.	C.	S.	P.	F.	D.D.	R.D.	Total	D.R.
United Provinces contd.		A.—INDIA—contd.									
Khairja	39	12	16·1	1	3	8	10·8	
Koi-Aligarh	137	35	13·4	11	3	19	7·3	
Lucknow	443	232	27·3	...	1	...	59	9	22	173	20·4
Mathura	90	60	34·7	12	5	12	50	28·9
Meerut	139	101	37·9	15	2	11	42	15·8
Mirzapur-Vindhyaehal	79	24	15·8	6	22	14·5
Moradabad	168	85	26·2	4	10	17	60	18·5
Muzaffarnagar	56	21	19·5	7	...	1	14	13·0
Pilibhit	61	20	20·4	8	3	3	27	27·6
Saharanpur	128	65	26·5	46	3	3	76	30·9
Sambhal	62	42	35·4	...	9	...	25	...	4	42	35·4
Shahjahanpur	128	56	22·4	46	5	4	63	25·7
Sitapur	35	24	35·7	...	3	...	18	1	...	22	32·7
TOTAL	4,249	2,40	25·0	10	26	...	649	124	308	1,702	21·6
Punjab, East											
Ambala †											
Amritsar	495	109	11·5	8	6	14	56	5·9
Batala	54	27	26·2	10	1	1	16	15·5
Bhiwani	51	34	35·0	11	1	1	16	16·5
Fazilka	36	8	11·4	1	2	2·9
Ferozepore	47	20	22·2	1	2	7	7·8
Hissar	31	18	29·8	8	...	1	9	14·9
Hoshiarpur	43	18	22·1	5	1	1	8	9·8
Jullundur	142	58	21·4	10	...	1	19	7·0
Karnal	46	23	25·8	4	2	...	9	10·1
Ludhiana	148	73	25·8	10	...	7	18	6·4
Moga	96	19	27·3	3	3	4·3
Panipat	42	25	31·1	2	2·5
Rewari	34	10	15·2	3	...	1	5	7·0
Rohilkhand	59	32	28·3	...	1	...	6	...	1	10	8·8
TOTAL	1,264	474	19·5	...	1	...	75	12	31	180	7·4
Bihar		<i>Return not received.</i>									
Central Provinces											
Akola	75	18	12·5	1	7	4·9
Amarnath	75	30	25·1	7	14	9·8
Bilaspur	43	15	18·3	1	3	3·7
Burdwanpur	62	40	33·4	...	1	...	5	2	1	15	12·5
Chanda	42	19	23·5	...	1	...	17	...	1	29	35·9
Dumohar											
Elliophpur †											
Hinganghat	33	18	28·7	...	11	...	13	1	12	3	4·8
Jubbulpore	170	57	17·4	1	...	46	13·8	
Khandwa	42	22	27·4	6	...	1	14	17·4
Nagpur	273	151	28·8	...	1	...	38	5	7	80	11·4
Nagpur Civil Station	82	36	23·0	6	...	1	9	5·7
Raipur	79	18	11·9	5	...	2	7	4·6
Saiguri											
Vardna	38	16	23·3	3	4	5·8
Yeotmal	31	25	41·6	3	12	20·0
TOTAL	1,043	471	23·5	...	13	...	105	8	24	222	11·1

Explanation of symbols used :—B=Births, B. R.=Births rate; C=Cholera; S=Smallpox; P=Plague; F=Fever; D. D.=Dysentery and Diarrhoea; R. D.=Respiratory Diseases; D. R.=Death rate.

† Figures not available.

Births and deaths from principal diseases in towns with a population of over 30,000 in the Provinces of India and some of the Indian States for the week ending the 11th June 1949.—*concl.*

Deaths from :—

Town	Mid-1949 Popn-Est. [*] (000)	Deaths from :—										D. R.	
		B.	B. R.	C.	S.	P.	F.	D. D.	R. D.	Total			
A.—INDIA—<i>concl.</i>													
<i>Return not received.</i>													
Assam													
Orissa													
Berhampur	.	48	30	32·1	4	4	2	20	21·4	
Outtaock	.	92	76	48·8	8	4	1	31	19·8	
Puri	.	44	41	48·8	6	2	..	28	33·3	
	TOTAL	174	147	43·9	18	10	3	79	23·6	
Ajmer-Merwara													
Ajmer	.	170	65	19·8	..	1	..	27	3	13	51	15·6	
Beawar	.	44	25	29·7	..	1	..	3	..	2	9	10·7	
	TOTAL	214	90	21·9	..	2	..	30	3	15	60	14·6	
Delhi Province													
Delhi City	.	667	334	26·0	..	11	..	100	6	26	177	13·8	
New Delhi	.	118	128	56·6	1	53	23·3	
	TOTAL	785	462	30·6	..	11	..	100	6	27	230	15·2	
B.—UNIONS AND STATES													
Patiala and East Punjab States													
Patiala	.	82	32	20·2	11	..	2	21	13·3	
Rajasthan Union													
Alwar	.	50	4	3·5	1	8	7·0	
Bikaner	.	162	44	14·1	3	2	10	15	4·8	
Jaipur	.	198	56	14·6	32	1	5	84	22·0	
Jodhpur	.	154	1	0·3	..	1	2	10	3·4	
Udaipur	.	71	9	6·6	..	1	..	2	1	..	10	7·3	
	TOTAL	664	114	8·9	..	1	..	38	4	17	127	9·0	
Saurashtra Union													
Jamnagar	.	85	41	25·1	1	3	..	13	1	1	28	17·1	
Junagadh	.	73	22	15·7	13	1	..	22	15·7	
Porbandar	.	61	17	14·5	9	18	15·3	
	TOTAL	219	80	19·0	1	3	..	35	2	1	68	16·1	
Cochin													
Ernakulam	.	55	42	39·6	2	..	1	14	13·2	
Mattancheri	.	65	28	22·5	4	..	4	15	12·1	
Trichur	.	67	47	36·4	2	..	3	14	10·8	
	TOTAL	187	117	32·5	8	..	8	43	12·0	
Mysore													
Bangalore City	.	312	266	44·4	..	2	..	1	21	31	117	19·6	
Kolar Gold Fields	.	174	91	38·1	2	5	..	22	9·2	
Mysore City	.	187	63	20·6	2	5	26	8·5	
	TOTAL	673	420	32·5	..	2	..	8	28	36	165	12·7	
Travancore													
Alleppey	.	67	26	20·9	1	5	3·9	
Kottayam	.	40	31	40·2	1	5	6·5	
Nagercoil	.	59	44	38·8	5	3	..	12	10·6	
Quilon	.	63	32	26·6	2	1	3	14	11·6	
Trivandrum	.	155	116	38·8	4	2	5	27	9·0	
	TOTAL	384	249	33·7	13	6	8	63	8·5	

Explanation of symbols used :—B=Birth ; B.R.=Birth rate; C=Cholera ; S=Smallpox; P=Plague; F=Fever ; D.D.=Dysentery & Diarrhoea; R.D.=Respiratory diseases ; D.R.=Death rate.

† Figures not available,

REMARKS

The figures of births and deaths shown in this statement or the week ending the 11th June, 1949 relate to 158 towns with an estimated population of 18,553 thousands. The total number of towns is 213 and their population is 25,943 thousands. Thus 74% of the total number of towns representing 72% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 10,461 and 6,612 representing birth and death rates of 9.3 and 18.6 per thousand of the population respectively.

(A) *India*:—The data here relate to 138 towns with an estimated population of 16,364 thousands. The total number of towns is 189 and their population is 23,320 thousands. Thus 73% of the total number of towns representing 70% of the population is covered. The number of births and deaths recorded in those towns were 9,449 and 6,125 repre-

senting birth and death rates of 30.0 and 19.5 per thousand of the population respectively. The table at the end gives the position by provinces :—

No town recorded a high death rate of 50 or over per thousand of the population.

(B) *Unions and States*:—The data here relate to 20 towns with an estimated population of 2,189 thousands. The total number of towns is 24 and the population is 2,623 thousands. Thus 83% of the total number of towns representing 83% of the total population is covered. The number of births and deaths recorded in these towns were 1,012 and 487 representing birth and death rates of 24.0 and 11.6 per thousand of the population respectively. No town recorded a high death rate of 50 or over per thousand of the population.

Provinces	Current w/e 11-6-49		Corresponding w/e last year		Corresponding mean during the previous 5 years period	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Madras	42.7	23.7	42.3	23.7	37.3	22.5
Bombay	28.4	20.0	26.7	18.9	26.8	22.9
U. P.	25.0	21.6	26.4	26.0	27.3	33.1
Punjab, East	19.5	7.4	12.0	6.8	23.0	19.9
G. P.	23.5	11.1	22.3	23.9	25.3	21.9
Orissa	43.9	23.6	38.4	23.4	39.9	21.4
Ajmer-Merwara	21.9	14.6	15.6	18.5	27.3	34.6
Delhi	30.6	15.2	16.9	10.3	29.6	23.7
India	30.0	19.5	22.8	19.7	24.0	23.2

NEW DELHI (3) INDIA ; }
on 11th July, 1949. }

S. P. JAIN,
for Registrar General, India.

102
Births and deaths from principal diseases in towns with a population of over 30,000 in the Provinces of India and some of the Indian States for the week ending the 18th June 1949

Deaths from :—

Town	Mid-1949 popn-Est.* (000)	B.	B.R.	C.	S.	P.	F.	D.D.	R.D.	Total	D.R.
A -- INDIA											
Madras											
Adoni	35	19	27.9	1	9	13.2
Ambur	38	21	28.8	2	3	1	2	16	21.9
Aruppukottai	36	20	28.9	2	4	5	18	26.0
Bellary	63	66	54.2	3	7	8	44	13.2
Cannanore	35	28	41.6	..	1	1	7	10.4
Coimbatore	160	152	49.5	..	1	..	3	12	8	66	21.5
Cuddalore	62	38	31.9	1	2	18	15.1
Dindigul	67	41	31.9	3	1	4	20	15.6
Eluru	71	23	16.8	1	..	2	26	19.0
Erode	44	58	68.0	1	..	3	12	14.1
Gudiyattam	39	39	51.6	1	2	3	16	10.8
Guntur	99	100	52.6	6	3	7	36	18.9
Kakinada†											
Kancheepuram	82	63	39.7	1	3	6	29	18.3
Kozhikode	140	171	59.7	4	5	14	71	24.8
Kumbakonam	71	60	44.0	3	16	11.7
Kurnool	54	53	51.5	..	2	..	4	3	4	19	18.5
Madras	998	964	50.2	..	3	..	38	76	181	600	31.3
Mangalore	93	80	44.7	6	1	16	42	23.5
Marupatram	61	26	22.2	2	1	3	14	11.9
Methurāl	287	358	64.9	15	9	34	147	20.7
Mayuram	33	12	18.7	2	11	17
Melapalayam	32	14	8.5	1	1	2	9	5.3
Negapatnam	57	25	23.0	1	1	1	15	13.8
Nellore	65	56	44.8	1	1	..	6	5	3	38	28.4
Palamcottah	34	32	49.6	1	2	11	17.1
Palghat	60	55	47.5	1	..	4	20	17.3
Rajahmundry	84	48	28.6	3	6	41	25.5
Rajapaleym	53	33	32.6	1	2	1	12	11.9
Salem	153	136	46.3	4	3	13	46	15.7
Srivilliputtur	37	18	25.6	2	1	15	21.4
Tanjore	70	29	21.5	3	8	38	28.1
Telllicherry	41	35	44.9	1	3	12	15.1
Tenali	46	27	25.2	1	..	3	11	12.6
Tiruchirappalli	174	137	41.1	1	1	7	45	13.5
Tirunelveli	64	43	35.1	2	1	17	13.0
Tiruppur†											
Tiruvannamalai	38	24	32.5	1	1	2	13	17.6
Tuticorin	88	68	40.1	3	1	4	19	11.2
Vellore	83	86	53.0	..	1	..	2	4	10	38	23.7
Vijayavada	108	47	22.7	..	1	..	3	2	2	24	11.6
Vinniyambadi	38	19	25.8	2	8	10.0
Virudunagar	36	23	33.4	2	2	2	10	14.5
Vizagapatam	81	44	28.2	3	3	9	30	10.3
Vizianagram	58	35	31.6	2	1	2	23	20.8
TOTAL	4,077	3,424	43.7	5	10	..	124	108	307	1,731	22.1

*In case of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable.

Explanation of symbols used :—B.—Births; B.R.—Birth rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery & Diarrhoea; R.D.—Respiratory diseases; D.R.—Death rate.

† Figures not available.

123

Births and deaths from principal diseases in towns with a population of over 30,000 in the Provinces of India and some of the Indian States for the week ending the 18th June 1949—contd.

Deaths from :—

Town	Mid-1949 popn-Est.* (000)	B.	B.R.	C.	S.	P.	F.	D.D.	R.D.	Total	D.R.
Bombay											
A.—INDIA contd.											
Ahmedabad	826	455	28·9	121	4	44	284	18·0
Ahmednagar	64	54	43·0	1	...	7	23	18·6
Amalner	44	23	27·2	7	2	2	13	15·3
Bandra	97	67	35·8	3	3	10	37	19·8
Baroda city	184	165	40·8	...	4	...	39	2	8	78	22·1
Barsi	41	30	38·2	6	3	1	15	19·1
Belgaum	75	62	42·9	7	2	...	27	18·8
Bhusawal	43	31	37·2	7	...	4	21	25·2
Bijapur	57	32	29·4	1	10	9·2
Bombay	1,764	975	28·7	...	9	...	32	33	169	783	22·5
Broach	74	56	39·5	4	1	5	15	11·4
Dharwar	54	22	21·2	4	13	12·5
Dhulia	65	29	23·3	11	...	3	17	13·7
Gadag-Betgeri	15	30	24·0	7	3	3	25	18·3
Godhra*	48	9	9·8	3	...	1	5	5·4
Hubli	106	57	28·0	...	1	...	6	3	10	37	18·2
Jalgaon	61	33	28·5	9	...	3	26	22·3
Kalyan	36	15	21·0	1	2	3	11	16·1
Kolhapur	112	80	37·0	10	1	11	71	32·8
Kurla	46	35	39·3	3	2	3	16	17·9
Malegaon	40	20	25·8	11	3	5	21	27·0
Nadiad	53	40	36·0	22	...	2	31	28·5
Nasik	58	42	38·1	3	9	5	4	44	40·0
Navsari city	45	20	23·4	7	11	12·9
Pandharpur	37	19	27·0	5	3	6	23	32·7
Parle Andheri	56	30	27·8	1	2	1	6	5·6
Patan City	42	41	50·5	10	...	1	13	16·0
Poona	307	170	28·8	...	1	...	24	8	39	148	25·1
Satara	40	24	31·6	4	3	3	18	23·2
Sholapur	260	172	34·3	11	0	25	95	10·0
Surat	232	137	30·0	24	7	22	95	21·3
TOTAL	5,035	2,975	30·7	3	15	...	406	100	399	2,012	20·8

Bengal, West

Asansol †											
Bally †											
Bankura †											
Baranagar †											
Berhampur	53	4	3·9	1	9	4	2	22	21·5
Bhatpara	144	24	8·7	11	1	5	51	18·5
Budge Budge	39	4	5·3	2	4	1	12	15·9
Burdwan	82	8	5·1	1	2	1	10	6·3
Calcutta	2,896	535	10·5	10	7	3	107	58	171	723	13·0
Champdani	37	11	15·4	1	3	4·2
Garden Reach	110	22	10·5	7	1	3	19	9·0
Hooghly-Chinsura	63	43	35·7	3	4	5	23	19·1
Howrah	508	76	7·8	3	3	...	31	24	42	176	18·1
Kamarhati	53	11	10·9	1	1	2	...	4	4·0
Krishnagar	38	4	5·4	1	1·4
Midnapur	52	3	3	...	13	12·9
Nabadwip	40	14	18·1	3	8	3	1	18	23·3
Nalhati	52	3	3·0	2	1	...	4	4·0
Serampur	69	23	17·4	5	3	3	17	12·9
South Suburbant											
Titegarh	64	20	16·3	3	25	2	...	32	26·1
Tollygunj	87	4	2·4	0·6
TOTAL	4,387	856	10·1	21	10	3	215	112	235	1,129	13·4

Explanation of symbols used :—B.=Births ; B.R.=Birth rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D.=Dysentery & Diarrhoea ; R.D.=Respiratory diseases ; D.R.=Death rate.

† Figures not available.

129

Births and deaths from principal diseases in towns with a population of over 30,000 in the Provinces of India and some of the Indian States for the week ending the 18th June 1949.—contd.

Deaths from :—

Town	Mid-1949 popn-Est.* (000)	B.	B.R.	C.	S.	P.	F.	D.D.	R.D.	Total	D.R.
A.—INDIA —contd.											
United Provinces											
Agra	301	261	45·3	—	2	—	15	8	98	200	34·4
Allahabad	307	80	13·6	—	—	—	5	4	28	59	10·0
Amroha	65	37	29·6	—	—	—	6	2	6	21	16·8
Bahraich	45	18	20·8	—	—	—	2	—	—	5	5·1
Balrampur	49	10	17·2	—	—	—	7	—	—	11	19·0
Banaras	301	145	25·1	1	2	1	94	14	15	217	37·5
Bareilly	219	142	33·8	—	—	—	25	11	30	86	20·5
Budaun	58	36	32·0	—	—	—	5	—	3	15	13·0
Dehra Dun	71	25	18·3	1	—	—	6	—	3	24	17·8
Etawah	58	40	35·8	1	3	—	23	1	7	47	42·1
Faizabad-Ajodhya	65	12	11·3	—	—	—	3	2	1	12	11·3
Farrukhabad-Fatehgarh	62	50	42·0	—	—	—	20	2	4	37	31·0
Ferozabad	84	15	14·6	—	3	—	12	—	1	23	22·3
Ghazipur	35	14	21·1	—	—	—	6	2	1	10	15·1
Gorakhpur	106	47	23·2	—	—	—	12	6	8	37	18·3
Hapur	41	29	36·9	—	—	—	20	2	—	23	29·3
Hardwar-Union	47	31	34·3	4	—	—	15	3	2	30	33·2
Hathras	53	36	35·4	—	—	—	27	1	6	39	38·4
Jaunpur	51	22	22·6	—	—	—	4	2	5	18	18·5
Jhansi	85	63	38·8	—	—	—	39	—	1	42	25·8
Kanpur	630	237	19·6	11	1	—	96	27	29	247	20·4
Khurja	39	23	30·9	—	—	—	1	—	1	10	19·4
Koil-Aligarh	137	45	17·2	—	—	—	14	—	6	27	10·8
Lucknow	443	237	27·9	—	4	—	75	15	35	209	24·6
Mathura	90	50	28·9	—	—	—	20	5	10	52	30·1
Meerut	139	85	31·9	—	—	—	21	5	24	75	28·2
Mirzapur-Vindhysachal	79	24	15·8	—	—	—	5	1	2	25	16·5
Moradabad	169	80	24·7	—	—	—	6	7	16	61	18·8
Muzaffarnagar	56	20	18·5	—	—	—	5	1	1	12	11·1
Pilibhit	51	27	27·8	—	—	—	7	3	5	27	27·5
Saharanpur	128	68	27·7	—	—	—	30	2	3	61	24·8
Sambhal	62	52	43·8	—	8	—	24	2	3	54	46·5
Shahjahanpur	128	45	18·3	—	—	1	25	1	3	36	14·7
Sitapur	85	23	34·2	—	1	—	10	—	—	13	19·3
TOTAL	4,249	2,129	26·1	18	24	1	685	129	357	1,865	22·8

Punjab, East

Ambala	81	23	23·3	—	—	—	3	—	—	3	3·0
Amritsar	405	109	11·5	—	—	—	5	6	14	56	5·0
Batala	54	28	27·1	—	—	—	8	2	—	11	10·7
Bhiwani	51	30	30·9	—	—	—	12	3	1	21	21·6
Fazilka	36	6	8·6	—	—	—	1	—	—	3	4·3
Ferozepore	47	37	41·2	—	—	—	—	1	4	12	13·0
Hissar	31	18	20·8	—	—	—	9	—	—	10	16·0
Hoshiarpur	43	15	18·4	—	—	—	6	—	—	8	9·8
Jullundur	142	59	21·7	—	—	—	14	1	3	24	8·8
Karnal	46	25	28·1	—	—	—	6	—	2	11	12·4
Ludhiana	148	81	28·6	—	—	—	9	—	—	16	5·7
Moga	36	8	11·5	—	—	—	3	1	—	7	10·1
Panipat	42	21	26·1	—	—	—	2	—	—	4	5·0
Rewari	34	9	13·7	—	—	—	5	—	1	9	13·7
Rohtak	50	47	41·6	—	—	—	10	1	1	17	15·0
TOTAL	1,315	510	20·4	—	—	—	93	15	26	212	8·4

Explanation of symbols used :—B.=Births ; B. R.=Birth rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fevers ; D.D.=Dysentery & Diarrhoea ; R. D.=Respiratory diseases ; D. R.=Death rate.

125

Births and deaths from principal diseases in towns with a population of over 30,000 in the Provinces of India and some of the Indian States for the week ending the 18th June, 1949—*contd.*

Deaths from—

Town	Mid-1949 Popn-Est*	B.	B.R.	C.	S.	P.	F.	D.D	R.D.	Total D.R.
A.—INDIA—<i>contd.</i>										
Bihar										
Central Provinces										
Akola	75	69	47·8	7	2	3	37 25·7
Amraoti	75	70	48·8	...	1	...	10	2	5	29 20·2
Bilaspur	43	17	20·8	4	13	...	17 20·8
Burhanpur	62	43	35·0	25	...	8	39 32·6
Chanda	42	26	32·1	12	...	2	14 17·3
Damoh†										
Ellichpur	34	28	43·0	3	9 13·8
Hinganghat	33	21	33·5	2	...	1	13 20·8
Jubbulpore	170	70	21·4	...	9	...	18	...	6	51 15·6
Khandwa	42	23	28·7	10	1	4	21 26·2
Nagpur†										
Nagpur Civil Station†										
Raipur	79	43	28·5	3	1	...	4 2·6
Saugor†										
Wardha	36	36	52·5	2 2·9
Yeotmal	31	36	55·0	7	1	2	15 25·0
TOTAL		722	470	34·5	...	10	...	101	20	31 18·1
Orissa										
Berhampur	48	49	52·4	5	2	2	20 21·4
Gutteok	82	64	41·0	1	7	5	...	47 30·1
Puri	44	32	38·1	9	4	2	28 33·3
TOTAL		174	145	43·3	1	21	11	4 28·4
Ajmer-Merwara										
Ajmer	170	78	23·8	18	...	11	33 10·1
Beawar	44	33	29·3	4	...	3	11 18·8
TOTAL		214	111	29·4	22	...	14 44 10·1t
Bhopal										
Bhopal	87	46	27·5	1	2	...	6	...	3	12 7·2
Delhi										
Delhi City	667	328	25·6	...	11	...	111	9	18	179 14·0
New Delhi	118	140	61·8	1	2	5	66 29·1
TOTAL		785	468	31·0	...	11	...	112	11	23 245 16·2
B—UNION AND STATES										
Patiala and East Punjab States										
Patiala	82	31	19·6	20	1	..	25 15·8
Rajasthan Union										
Alwar	59	10	8·8	1	2	2	9 7·9
Bikaner	162	59	18·9	3	3	17	23 7·4
Jaipur	108	39	10·2	29	3	6	82 21·5
Udaipur	71	12	8·8	..	2	..	1	8 5·9
TOTAL		490	120	12·7	—	2	..	34	8	25 123 12·9
Saurashtra Union										
Jamnagar	85	58	35·5	..	1	..	17	2	2	27 16·5
Junagadh	73	31	22·1	18	21 1500
Porbandar	61	69	58·8	7	2	..	23 1906
TOTAL		219	168	37·5	..	1	..	39	4	2 71 1609

Explanation of symbols used:—B.—Births; B.R.—Birth rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery & Diarrhoea; R.D.—Respiratory diseases; D.R.—Death rate.

† Figures not available.

126
Births and deaths from principal diseases in towns with a population of over 30,000 in the Provinces of India and some of the Indian States for the week ending the 18th June 1949—concl'd.

Deaths from—

Town	Mid-1949 Popn-Est.* (000)	Deaths from—									
		B.	B.R.	C.	S.	P.	F.	D.D.	R.D.	Total	
B.—UNIONS AND STATES—contd.											
Cochin											
Ernakulam	55	34	32·1	1	8 7·0	
Mattancheri	68	68	50·7	1	2	2	12 9·7	
Trichur	67	59	45·6	1	1	15 11·6	
TOTAL	187	156	43·4	2	3	3	35 9·7	
Mysore											
Bangalore City	311	211	35·2	4	30	32	135 22·5	
Kolar Gold Field	174	74	31·0	1	5	1	23 9·6	
Mysore City	187	99	38·7	9	2	..	44 17·2	
TOTAL	672	384	29·7	14	37	33	202 15·6	
Tiravancore											
Allappay	67	28	21·8	2	..	3	13 10·1	
Kottayam	40	34	44·1	2	14 18·1	
Nagercoil	59	39	34·4	2	..	2	13 11·5	
Quilon	63	112	98·0	3	2	27 22·4	
Trivandrum	153	125	41·9	1	5	7	50 16·7	
TOTAL	384	338	45·8	7	8	14	117 15·8	
ARREAR RETURNS											
Bihar											
<i>For w/e the 28th May 1949</i>											
Arrah	57	12	11·0	1	5	1	..	8 7·3	
Bihar	61	22	18·8	2	2 1·7	
Bettiah	32	6	9·7	2	2	3	13 20·8	
Bhagalpur	101	27	13·9	1	8	14 7·2	
Darbhanga	78	26	17·7	8	15 9·3	
Dinapur-Nizamat	35	2	2·9	1	..	2	3 4·5	
Gaya	120	45	19·5	27	2	2	62 26·9	
Jamalpur	47	4	4·4	1	3 3·3	
Jamahedpur	203	75	19·2	2	1	3	15 3·8	
Monghyr	72	5	3·6	4	5 3·6	
Muzaffarpur	63	6	4·9	4	11 9·0	
Patna	189	16	4·4	1	1	..	5	28 7·7	
Purulia	34	6	7·4	2	2 2·5	
Ranchi	57	30	27·2	6	1	..	12 10·9	
TOTAL	1,147	282	12·8	3	1	..	77	7	10	193 8·7	
Bombay											
<i>For w/e</i>											
Hubli	28-5-49	106	95	46·8	..	1	..	7	3	6 43 21·1	
"	4-6-49	"	64	31·5	..	1	..	7	..	8 30 14·7	
"	11-6-49	"	53	26·1	5	..	5 27 13·3	
Bombay	4-6-49	1,764	852	25·1	..	11	..	32	28	154 713 21·0	
Punjab East											
Fazilka	21-5-49	36	2	2·9	2	1	..	5 7·2	
Hoshiarpur	28-5-49	43	15	18·4	6	..	1	10 12·3	
"	4-6-49	"	17	21·8	2	3 3·7	
Central Provinces											
Bilaspur	28-5-49	43	21	24·7	1	..	3	..	1	20 24·5	
Nagpur	4-6-49	273	120	22·9	..	1	..	43	1	18 67 12·8	
Nagpur Civil Station	"	82	44	28·1	..	1	..	9	2	.. 10 6·4	
Wardha	"	36	9	13·1	2	2 2·9	
Hinganghat	"	33	14	22·3	2	3 4·8	
Chanda	9-4-49	42	32	39·6	9	..	4	13 16·1	
"	7-5-49	42	17	21·0	6	4	1	11 13·6	
"	21-5-49	42	23	28·4	6	2	1	9 11·1	
"	28-5-49	42	19	23·5	17	..	1	18 22·2	
Elliohpur	30-4-49	34	20	30·7	6	1	1	12 18·4	
"	11-4-49	34	32	49·1	1	8 12·3	
Rajasthan Union											
Alwar	4-6-49	59	11	9·7	..	1	..	7	1	1 15 13·2	
Bikaner	28-5-49	162	66	21·2	16	4	21	35 11·2	

Explanation of Symbol used :—B.=Births; B.R.=Birth rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fvers; D.D.=Dysentery & Diarrhoea; R.D.=Respiratory diseases; D.R.=Death rate.

REMARKS

The figures of births and deaths shown in this statement for the week ending the 18th June 1949 relate to 179 towns with an estimated population of 23,079 thousands. The total number of towns is 213 and their population is 25,943 thousands. Thus 84% of the total number of towns representing 86% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 12,336 and 8,113 representing birth and death rates of 27·8 and 18·3 per thousand of population respectively.

(A) Provinces.—The data here relate to 160 towns with an estimated population of 21,045 thousands. The total number of towns is 189 and their population is 23,320 thousands. Thus 85% of the total number of towns representing 90% of the total population is covered. The number of births and deaths recorded in those towns were 11,149 and 7,596

representing birth and death rates of 27·5 and 18·8 per thousand of population respectively. The table at the end gives the position by provinces.

No town recorded a high death rate of 50 or over per thousand of the population.

(B) Unions and States.—The data here relate to 19 towns with an estimated population of 2,034 thousands. The total number of towns is 24 and their population is 2,623 thousands. Thus 79% of the total number of towns representing 77% of the total population is covered. The number of births and deaths were 1,187 and 517 representing birth and death rates of 30·3 and 13·2 per thousand of population respectively. No town recorded a high death rate of 50 or over per thousand of the population.

Provinces	Current w/e 18-6-49		Corresponding w/e last year		Corresponding mean during the previous 5 years period	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Madras	43·7	22·1	47·8	24·0	37·0	23·8
Bombay	30·7	20·8	27·4	18·9	26·4	21·4
Bengal, West	10·1	13·4	10·7	14·1	8·1	12·5
U. P.	26·1	22·8	20·8	32·1	27·7	31·5
Punjab, East	20·4	8·4	11·5	8·7	22·3	19·2
C. P.	34·5	18·1	21·7	15·4	26·0	21·6
Orissa	43·3	28·4	40·4	15·1	31·8	22·9
Ajmer-Merwara	29·4	10·1	22·2	21·2	29·0	24·9
Delhi	31·0	16·2	16·8	16·3	28·1	23·1
Indian Provinces	27·5	18·8	25·0	20·4	23·5	21·5

NEW DELHI 3 (INDIA); }

The 18th July 1949. }

S. P. JAIN,

for Registrar General, India.

